


	K_{1S}	0,676	2,9	8,2	30,4
298 K	K_2	11,58	19,8	22,4	27,2
	K_2/K_{1S}	17,1	6,8	2,7	0,9
	K_{1S}	0,477	2,16	6	21,5
308 K	K_2	9,44	13,9	15,8	20,2
	K_2/K_{1S}	19,8	6,5	2,6	0,94
	K_{1S}	0,341	1,61	4,5	15,8
318 K	K_2	6,57	10,4	11,6	14
	K_2/K_{1S}	19,3	6,5	2,57	0,89
	K_{1S}	0,248	1,26	3,4	11,6
328 K	K_2	4,802	7,65	8,6	10,8
	K_2/K_{1S}	19,4	6,07	2,53	0,93

Zusammenfassung der thermodynamischen Konstanten:



K_{IS}	ΔH -28.68 kJ/mol = -6.85 kcal/mol	-22.81 kJ/mol = -5.45 kcal/mol	-22.13 kJ/mol = -5.29 kcal/mol	-25.93 kJ/mol = -6.19 kcal/mol
	ΔS -99.1 J/mol = -23.67 cal/mol	-67.68 J/mol = -16.17 cal/mol	-56.98 J/mol = -13.61 cal/mol	-58.6 J/mol = -14.0 cal/mol
K_2	ΔH -25.88 kJ/mol = -6.18 kcal/mol	-25.49 kJ/mol = -6.09 kcal/mol	-24.999 kJ/mol = -5.97 kcal/mol	-25.46 kJ/mol = -6.08 kcal/mol
	ΔS -65.73 J/mol = -15.70 cal/mol	-60.78 J/mol = -14.52 cal/mol	-58.1 J/mol = -13.88 cal/mol	-57.87 J/mol = -13.82 cal/mol
β_2	ΔH -54.81 kJ/mol = -13.09 kcal/mol	-48.30 kJ/mol = -11.54 kcal/mol	-47.09 kJ/mol = -11.25 kcal/mol	-51.19 kJ/mol = -12.23 kcal/mol
	ΔS -164.79 J/mol = -39.37 cal/mol	-128.46 J/mol = -30.69 cal/mol	-114.98 J/mol = -27.47 cal/mol	-115.82 J/mol = -27.67 cal/mol