



Position 44, Mitarbeiter Langbehn, Sample AS16b, Menge 13 mg / Aceton-d6, Re kein

#### Current Data Parameters

NAME 20180921-44-P509Langbehn\_9100  
EXPNO 4  
PROCNO 1

#### F2 - Acquisition Parameters

Date\_ 20180924  
Time\_ 0.07 h  
INSTRUM spect  
PROBHD Z119877\_0012 (  
PULPROG zgpg30  
TD 180722  
SOLVENT Acetone  
NS 128  
DS 32  
SWH 30120.482 Hz  
FIDRES 0.333335 Hz  
AQ 2.9999852 sec  
RG 101  
DW 16.600 usec  
DE 6.50 usec  
TE 298.0 K  
D1 0.10000000 sec  
D11 0.03000000 sec  
TD0 1  
SFO1 125.7703643 MHz  
NUC1 13C  
P1 9.20 usec  
PLW1 60.00000000 W  
SFO2 500.1320005 MHz  
NUC2 1H  
CPDPRG[2] waltz16  
PCPD2 90.00 usec  
PLW2 38.00000000 W  
PLW12 0.86770999 W  
PLW13 0.55238998 W

#### F2 - Processing parameters

SI 524288  
SF 125.7576761 MHz  
WDW EM  
SSB 0  
LB 0.20 Hz  
GB 0  
PC 1.40

